


 ITI LIMITED (A Government of India Undertaking)		Phone	080-28503614
		e mail & Website	imm_bgp@itilttd.co.in & pnchaudhary_bgp@itilttd.co.in www.itilttd.in
BANGALORE PLANT			
DOORAVANI NAGAR BANGALORE- 560016			
ENQUIRY			
		Enquiry Ref No.	M2127D003
		Enquiry Date	10.08.2026
		Due Date & Time	17.08.2026, 4.00 PM
Please quote best prices for the item as mentioned below.			
ITEM SI No.	ITEM CODE	DESCRIPTION	QTY
1	ESP17676009FA01	SCREW(Brass) 18mm	4000
2	ESP17676010FA01	SCREW (Brass) 14.5 mm	1000
3	ESP17661002FA01	CHAIN BATT. Cover(Aluminum 0.50mm thick)	500
4	ESP17610029FA01	SPRING - Spring loaded terminal -(Stainless steel)	500
5	ESP17619009FA01	STUD - Spring loaded terminal - Brass	500
6	ESP17617010FA01	WASHER - Spring loaded terminal (Brass)	500
7	ESP17619008FA01	STUD - Spring loaded terminal - Brass	500
8	ESP17618039FA01	BUSH-Spring loaded terminal (Brass)	500
9	ESP17619005FA01	STUD - Spring loaded terminal - Brass	500
10	ESP17678091FA01	PLATE Brass 1.2 thick	500
11	ESP17667027FA01	SPRING-PLUNGER Stainless Steel	500
12	ESP17678093FA01	plate(Anodised Perporated aluminium sheet 0.3 thick	1000
13	ESP17665014ZA01	Ring - Rubber black	500
14	ESP17662119ZA01	Grommet(Se1. Switch & Vol. knob) Silicon Rubber	1000
15	ESP17662095ZA01	GASKET - Membrane conn (Silicon rubber - Red)	500
16	ESP17662120ZA01	MEMBRANE SILICON RUBBER GREEN	500
17	ESP10615025FA01	TERMINAL Telephone(Brass Spring Quality)	500
18	DL65713	RING (Rubber Black)	500
19	DTC76539A	Screw(self tapping)	4000
20	BL15585	TERMINAL (Brass)	500
21	DL65721	WASHER base bottom (Ring Base) synthetic rubber (Black)	500
1. Kindly send the quote in sealed cover to: IMM Department, ITI Ltd, Dooravani Nagar, Bangalore-560016 2. Please attach MSME certificate if applicable. 3. Bids shall be evaluated FOR ITI bangalore 4. Sample has to be submitted for technical evaluation if required. 5. Drawings of all 21 items attached with this enquiry.			
If any further details/clarifications required towards submission of offer, please contact Mr.P N Chaudhary, DGM-IMM email: pnchaudhary_bgp@itilttd.co.in or imm_bgp@itilttd.co.in.			
NOTE	1	Terms of Price: FOR ITI Limited Bangalore.	
	2	Payment terms to be clearly mentioned in the quotation	
	3	Delivery period to be clearly mentioned in the quotation	
	4	LD Clause: A sum equivalent to ½% (half percent) per week for first four weeks and 0.7% per week thereafter for such delay or part thereof or terminate the contract in respect of the balance supply so delayed and purchase materials elsewhere at the risk and cost of the defaulting supplier. (LD is capped at 12% of the PO Value) .	
	5	Warranty clause (if applicable) shall be mentioned in the bid.	
	6	COC, test reports, and all relevant documents pertaining to this order must be submitted along with the supply for inspection clearance	
	7	Quote shall be for the quantities mentioned in enquiry and shall be from the latest batch of production with date code Jan 2023 onwards .	
	8	Validity: Quotations should be valid for a period of 180 days from the due date of tender. Once quotation is accepted and order is confirmed, the price must remain same till the completion of the order.	
	9	Your quoted terms of price shall be all inclusive F.O.R ITI Ltd, Dooravaninagar, Bangalore-560016.	
	10	Inspection of goods at our work is final. Goods rejected will be returned on freight to pay basis. Packing & forwarding charges in respect of such consignment will be debited to your account	
	11	We reserve the right to accept or reject any or all offers and order part or full quantity, without assigning any reason	
The bids will be opened on 18.08.2026, 10-00 AM, Quotations must be submitted in sealed cover, superscribed with our RFQ/tender number & due date and should reach us well before due date & time. Delayed/or late tenders and tenders without tender enquiry number and due date on the cover are liable for rejection without assigning any reason. The bids with no make and part number will not be considered for evaluation.			
For ITI Limited  AGM-IMM			

THIS DOCUMENT IS THE PROPERTY OF THE IIT LTD, BANGALORE, INDIA. AND MAY NOT BE COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETOR.

CNTELE-504-05-07-08XFA BANGALORE 76009=FA01-01.DWG



SHEET:-

ISSUE	APP
1 17-07-07	17/07

DOCUMENTATION
CENTER IDP

CONTROLLER COPY 02
SGK
(DATE 11/8/07)

MASTER COPY

Sig :
Date :

DOCUMENTATION

REF:-

U.D:- ESP1754706191a

SCALE:- N.T.S.

ESP 17 6 76009 FA 01	BRASS	B286	NICKEL	B507
CODE	MATL.	SPEC.	APP.	SPEC.

SCREW
TELEPHONE SET 5C

DRAWN *Shk*
TRACED
CHECKED

GIN
APP

ESP 17 6 76009 FA 01

POSITION → 1 2 3 4 5 6 7 8 9 10 11 12 13 14

SHEET



SWR&D
IIT LTD
BANGALORE

A4

THIS DOCUMENT IS THE PROPERTY OF T. T. LTD. BANGALORE INDIA AND MAY NOT BE COPIED.
 UNREPRODUCED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.

SHEET:-

ISSUE	APP
1 17-07-07	1/2



DOCUMENTATION
 CENTER TDP
 CONTROLLER COPY
 DATE 01/08/07


MASTER COPY

Sig: [Signature]
 Date: [Date]
 SW R & D
 ENGINEERING

REF:-
 U.D:- ESP 175470619101
 SCALE:- N.T.S.

FSP 17 6 76010 FA 01	BRASS	B286	NICKEL	B507	TOLERANCES TO RULING NO.16												
CODE	MATL.	SPEC.	APP.	FINISH SPEC.													
SCREW TELEPHONE SET 5C			DRAWN J. [Signature]	ENG													
			TRACED														
			CHECKED	APP [Signature]													
ESP 17 6 76010 FA 01																	
POSITION →	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	SHEET	SW R & D T. T. LTD BANGALORE A4

THIS DOCUMENT IS THE PROPERTY OF THE ITI LIMITED, BANGALORE, INDIA AND MAY NOT BE COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.



CHAIN MADE OF 0.5 THK. ALUMINIUM TO BE PURCHASED IN RUNNING LENGTH, CUT TO SIZE AND END LINKS FIXED AS SHOWN BEFORE FINISHING.

NOTE :

1. DIMENSIONS ARE APPROXIMATE & VIEWS ARE TYPICAL
2. SAMPLE TO BE APPROVED BEFORE BULK SUPPLY.

ESP 17 6 61002 FA 01	ALUMINIUM 0.50mm THICK	POWDER COATED TO SPEC D723 OLIVE GREEN SCAMIC
CODE	MATL. SPEC. APP.	FINISH SPEC.
CHAIN - BATTERY COVER - (TELEPHONE SET - 5C)		DRN <i>Jacky</i> TRD CHD ENG <i>mro</i> APP <i>Amr</i>
ESP 17 6 61002 FA 01		1
POSITION		SHEET
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15		ITI LTD. BANGALORE SWI

SHEET : 1

ISSUE	APP
1	11-10-06 <i>Sm</i>
BCO. NO. 18443 DRG. REVISED & REDRAWN. <i>SP</i>	
2	01-09-07 <i>Wm</i>



DOCUMENTATION CENTER **CDP**
CONTROLLED COPY *01*
4/19/07

MASTER COPY
Sig: _____
Date: _____
SWG M & D
DOCUMENTATION

ALL DIMS. ARE IN MM
REF: ESP175470614
U.O.: ESP17547061

SCALE: N.T.S.
TOLERANCE TO RULING NO.16

THIS DOCUMENT IS THE PROPERTY OF THE IIT LIMITED, BANGALORE, INDIA AND MAY NOT BE COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.



VIEW - TYPICAL


O.D : 5.6 mm (MAX.)	FREE LENGTH : 10.0
WIRE ϕ : 23 SWG(0.6096 mm)	
PITCH : 1.90mm	

NOTE:- 1. SAMPLE TO BE APPROVED BEFORE BULK SUPPLY.

ESP17610029FA01	STAINLESS STEEL B2478	CLEAN		
CODE	MATL. SPEC. APP.	FINISH SPEC.		
SPRING - SPRING LOADED TERMINAL (TELEPHONE SET 5C)		DRN <i>[Signature]</i>	ENG	
		TRD		
		CHD	APP <i>[Signature]</i>	
ESP 17 6 10029 FA 01			1	SW.R&D
POSITION → 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15			SHEET	IIT LTD., BANGALORE A4

SHEET	1
ISSUE	APP
1	01-04-08 <i>[Signature]</i>

DOCUMENTATION CENTER	
CONTROLLED COPY	EG1 H
SIG	<i>[Signature]</i>
DATE	14/05/17



ALL DIMNS. ARE IN MM.


REF:-

U.O.:ESP17547061SL01

SCALE :- N T S

TOLERANCE TO RULING NO.16

THIS DOCUMENT IS THE PROPERTY OF THE PROPRIETORS. IT IS TO BE KEPT IN THE FILE OF THE PROJECT AND NOT REPRINTED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.



DOCUMENTATION
CENTER
CONTROLLED COPY. 7829
SIG. *[Signature]*
DATE 26/07/18

SHEET : 1

ISSUE

APP

1

27-03-08

[Signature]

MASTER COPY
SW R & D
DOCUMENTATION

ALL DIMNS. ARE IN MM.

REF:-

U.O.:ESP17547061SL01

SCALE :- N T S


TOLERANCE TO
RULING NO.16

ESP 17 6 19009 FA 01	BRASS B 286	DULL NICKEL B 507
CODE	MATL. SPEC. APP.	FINISH SPEC.

STUD - SPRING LOADED TERMINAL
(TELEPHONE SET 5C)

DRN *[Signature]*
TRD
CHD

ENG
APP *[Signature]*



ESP 17 6 19009 FA 01

1



SW.R&D


ITI LTD.,
BANGALORE

A4

POSITION → 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15


SHEET

THIS DOCUMENT IS THE PROPERTY OF THE IN LIMITED, BANGALORE AND MAY NOT BE COPIED, REPRODUCED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.



3.1 ϕ
1.7 ϕ

0.30



SHEET :

ISSUE	AP
1	

PROVISIONAL

Handwritten signature
M/CTE & I.M. TD

REF:
U.O:ESP17515063AS01
ESP17515064AS01

SCALE :- N T S

ESP17617010FA01	BRASS	B 249	NICKEL PLATING	B 507
CODE	MATL.	SPEC. APP	FINISH	SPEC.

TOLERANCE TO
RUNG NO.16

WASHER--SPRING LOADED TERML.
(TELEPHONE SET - 5C)

DRN	END
TRD	
CHD	APP




ESP 17 6 17010 FA 01

1

POSITION — 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 SHEET

SW.R&D
M/LTD
BANGALORE A4

REPRINTED C. DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.



DOCUMENTATION
CENTER
CONTROLLED COPY.. 7819
SIG *[Signature]*
DATE 26/07/18

SHEET : 1
ISSUE APP
1 16-09-06 H55
BCO NO. 18451
ORG. REVISED
& REDRAWN
2 10.04.08 *[Signature]*


MASTER COPY
Sig: *[Signature]*
Date: *[Date]*
DO NOT WRITE
ON THIS COPY

ALL DIMNS. ARE IN MM.
REF:-
U.O.:ESP17547061SL01
SCALE :- N T S

ESP 17619008FA01	BRASS B 286	DULL NICKEL B 507
CODE.	MATL. SPEC. APP.	FINISH SPEC.

TOLERANCE TO
RULING NO.16


STUD - SPRING LOADED TERMINAL (TELEPHONE SET 5C)		DRN <i>[Signature]</i>	ENG
		TRD	
		CHD	APP <i>[Signature]</i>



ESP 17 6 19008 FA 01
POSITION → | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15

1
SHEET
ITL LTD., BANGALORE
SW.R&D
A4

THIS DOCUMENT IS THE PROPERTY OF THE I.T.I. LIMITED, BANGALORE. IT IS NOT TO BE COPIED, REPRODUCED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.



DOCUMENTATION
434C
Kamal Kumar
08/03/19

SHEET : 1	
ISSUE	APP
1	27.03.08

MASTER COPY
Sir :
Date :
SWG R & D
DOCUMENTATION

ALL DIMNS. ARE IN MM.


REF:-

U.O.:ESP17547061SL01

SCALE :- N T S

TOLERANCE TO
RULING NO.16

ESP 17 6 18039 FA 01	BRASS B 287	NIL	
CODE	MATL. SPEC. APP.	FINISH	SPEC.
BUSH - SPRING LOADED TERMINAL (TELEPHONE SET 5C)		DRN J. P. S.	ENG
		TRD	APP
		CHD	APP





ESP 17 6 18039 FA 01

POSITION → 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

1
SHEET
SW. R & D
ITI LTD.
BANGALORE
A4

THIS DOCUMENT IS THE PROPERTY OF I.T.I. LTD., BANGALORE, INDIA AND MAY NOT BE COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.

E:\TELE-SC\06-07-02\FABRICATING\19005FA01-01 BU-STUD.D
LKP



DOCUMENTATION
CONTROL
CONTROLLED COPY 4356
BIG. *Ramul Kumar*
DATE 08/03/19

SHEET:-

ISSUE		APP
1	17.07.07	H82
BCO NO. 18451 DRG. REVISED & REDRAWN. <i>mtf JA</i>		
2	10.04.08	<i>an</i>

MASTER COPY
SIGNED: _____
DATE: _____
SWG R & D
DOCUMENTATION

ALL DIMS. ARE IN MM


REF:-

U.D.:-ESP17547061SLO1

SCALE:- N/T.S.

TOLERANCES TO
RULING NO.16


ESP 17 6 19005 FA 01	BRASS	B 286	—		
CODE	MATL.	SPEC.	APP.	FINISH	SPEC.
STUD SPRING LOADED TERMINAL TELEPHONE SET 5C			DRAWN J. Acharya	U	
			TRACED		W
			CHECKED		
				APP	



ESP 17 6 19005 FA 01															
POSITION →	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15

1
SHEET
ITJ LTD.
BANGALORE
A4

REPRINTED - DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS



422C
Kand Kumar
08/03/19

SHEET : 1

ISSUE

APP

3

08-10-07

HSS

BCO. NO.18451

DRG. REVISED
& REDRAWN

4

10-04-08

MASTER COPY

Size:
Date:

DO NOT REPRODUCE

ALL DIMNS. ARE IN MM.

REF:-


U.O.:ESP17547061SL01

SCALE :- N T S

TOLERANCE TO
RULING NO.16

ESP 17 6 78091 FA 01	1.2 THK. BRASS B 247	DULL NICKEL	B 507		
CODE	MATL. SPEC. APP.	FINISH	SPEC.		
PLATE - SPRING LOADED TERMINAL (TELEPHONE SET-5C)		DRN <i>Shel</i>	ENG		
		TRD	APP		
		CHD	APP		
ESP 17 6 78091 FA 01			1		
POSITION →			SHEET		
1	2	3	4	5	6
7	8	9	10	11	12
13	14	15			
			SW.R&D		
			ITI LTD., BANGALORE	A4	

THIS DOCUMENT IS THE PROPERTY OF THE IIT LTD. BANGALORE, INDIA. AND MAY NOT BE COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.



O.D : 11.5mm ϕ (MAX.)	FREE LENGTH : 11.1mm
WIRE ϕ : 23 SWG(0.6096 mm)	
PITCH : 3.5mm	

NOTE: -1. LOAD AT MAX. DEFLECTION 150 gms.
2. SAMPLE TO BE APPROVED BEFORE BULK SUPPLY.

ESP17667027FA01		STAINLESS STEEL B2478		—	
CODE	MATL.	SPEC.	APP.	FINISH	SPEC.
SPRING - PLUNGER (TELEPHONE SET-5C)				DRN <i>g h e w</i>	ENG
				TRD	
				CHD	APP <i>m h</i>
ESP 17 6 67027 FA 01					1
POSITION → 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15					SHEET
IIT LTD., BANGALORE					SW.

DOCUMENTATION
CENTER - IDP
CONTROLLED COPY
SAG
DATE

SHEET : 1
ISSUE : A
1 11-08-67 41


MASTER COPY
SAG R & D
DOCUMENTATION

REF: ESP1754B044

U.O.: ESP1754B044

SCALE : N.T.S

TOLERANCE TO
RULING NO.11



IIT LTD., BANGALORE

THIS DOCUMENT IS THE PROPERTY OF THE IIT LTD, BANGALORE, INDIA, AND MAY NOT BE COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.

SHEET :

ISSUE	APP
1	07-12-06 HV/ind




FIG.1




FIG.2

FOR MORE DETAILS SEE FIG.2

DOCUMENTATION
CENTER (TDP)
CONTROLLED COPY
DATE 11 DEC 2006

MASTER COPY

SW R&D
DOCUMENTATION

ALL DIMS. ARE IN MM.

REF:

U.O.:

SCALE 2:1


TOLERANCE TO
RULING NO.16

ESP 17 6 78093 FA 01	ANODISED PERFORATED ALUMINIUM SHEET 0.3 THICK D 2012	CLEAN B 501C	
CODE	MATL. SPEC. APP.	FINISH SPEC.	
PLATE (TELEPHONE SET - 5C)		DRN J.P. Chavhan	ENG
		TRD	APP
		CHD	
ESP 17 6 78093 FA 01		1	SW R&D
POSITION →		1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	ITD LTD, BANGALORE
		SHEET	A4



THIS DOCUMENT IS THE PROPERTY OF THE IIT LTD., BANGALORE, INDIA, AND MAY NOT BE COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.

SHEET 4

ISSUE	APP
1 07-12-06	R. S. R.



THICKNESS : 0.8 mm



ALL DIMS. ARE IN MM

REF:

U.O.:


SCALE 1:1

TOLERANCE TO RULING NO.16

ESP 17 6 65014 ZA 01		RUBBER B 2510		BLACK	
CODE	MATL.	SPEC.	APP.	FINISH	SPEC.
RING (TELEPHONE SET - 5C)				DRN <i>[Signature]</i>	ENC
				TRD	APP <i>[Signature]</i>
				CHD	
ESP 17 6 65014 ZA 01					1
POSITION →					SHEET
1	2	3	4	5	6
7	8	9	10	11	12
13	14	15			

IIT LTD.,
BANGALORE

THIS DOCUMENT IS THE PROPERTY OF THE IIT LIMITED, BANGALORE, INDIA AND MAY NOT BE COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.



SHORE HARDNESS : 30°-35°

SHEET : 1

ISSUE

APP

1 16.09.06

APP

BCD. NO. 18443
TOLERANCE ADDED
TO DIM. $\phi 6.0$

2 11.08.07

APP

DOCUMENTATION
CENTER - TDP
CONTROLLED COPY 02
SIG. *[Signature]*
DATE 21/08/07

MASTER COPY
Sig: *[Signature]*
Date: *[Signature]*
SWG R&D
DOCUMENTATION

ALL DIMS. ARE IN MM.

REF:

U.O.: ESP1754804+SU01

SCALE 4:1

ESP 17 6 62119 ZA 01	SILICONE RUBBER	RED	TOLERANCE TO RULING NO.16	
CODE	MATL.	SPEC.	APP.	SPEC.
GROMMET(SEL. SW & VOL. KNOB) (TELEPHONE SET - 5C)			DRN <i>[Signature]</i>	ENG
			TRD	
			CHD	APP <i>[Signature]</i>
ESP 17 6 62119 ZA 01			1	SWR&D
POSITION →			1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	IIT LTD. BANGALORE
			SHEET	AA

SHORE HARDNESS 30' TO 35'.

A4

POSITION → 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

THIS DOCUMENT IS THE PROPERTY OF THE ITI, BANGALORE, INDIA, AND MAY NOT BE COPIED, REPRINTED OR DISCLOSED TO A THIRD PARTY WITHOUT THE WRITTEN CONSENT OF THE PROPRIETORS.

SHEET :



ISSUE

APP

1

16-09-06

8mm



1. SHORE HARDNESS TO BE 30 TO 35
2. SAMPLE TO BE SUPPLIED BEFORE PROCEEDING WITH BULK ORDER

DOCUMENTATION
CENTER

COPIES 230B

DATE 06/02/14

MASTER COPY

ALL DIMS. ARE IN MM.

REF:

U.O.:

SCALE 1.5:1

ESP 17 6 62120 ZA 01

SILICON RUBBER

GREEN

TOLERANCE TO
RULING NO.16

CODE

MATL.

SPEC.

APP.

FINISH

SPEC.

MEMBRANE
(TELEPHONE SET - 5C)


DRN J. Reddy

TRD

CHD

ENG

APP



SW.R&D

ESP 17 6 62120 ZA 01

POSITION →

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

SHEET

ITI LTD.,
BANGALORE

A4




FIG. 1

(BRASS-NICKEL PLATED)

NOTE: * THIS DIMENSION SHALL PROVIDE A PUSHFIT ON MALE TERMINAL AS SHOWN IN FIG.1.
THE UNJACKING FORCE SHALL BE BETWEEN 250gr. TO 1500gr.

176


MASTER COPY	
Sig:	<i>[Signature]</i>
Date:	24/4/92
SWO R & D DOCUMENTATION	

REF.:-

U.D.-

SCALE:- N T S

SP 10 6 15025 FA 01										BRASS (SPRING QUALITY) B250										NICKEL					B507					TOLERANCES TO RULING NO.16									
CODE										MATL.										SPEC.					APP.					FINISH					SPEC.				
TERMINAL TELEPHONE																				DRAWN S.N.					ENG	LJK													
																				TRACED																			
																				CHECKED <i>fla</i>																APP <i>✓-k</i>			
ESP 10 6 15025 FA 01																				1/1										SWR&I									
ESTIMES → 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15																				SHEET					LITLTA DATE/PLG					A4									

CODE DL 65713-14A	MATERIAL RUBBER BLACK	SPEC APP B2510	FINISH N/L	SPEC	RING		DL 65713-14												
				ISSUE: 1 1-10-66 B.C.O. 15708 DIM. X 19.54 WAS 20.16 ISSUE 2 17-12-67 B.C.O. 15218 MAT. & SPEC. WAS RUBBER B2508 ISSUE 3 17-1-69 B.C.O. 16485 TOLERANCES ON DIM. X ADDED ISSUE 4 17-8-82 B.C.O. 16569 TOLERANCES REVISED AGAINST RULING NO. 16 ISSUE 5 17-2-84															
				APPROVED T-S-R DRAWN T-S-R CHECKED K-2 APPROVED T-S-R DATE: 8/11/99 SWG R & D DOCUMENTATION															
TOLERANCE ON DIMENSIONS ± 0.5 UNLESS SPECIFIED. DIMS IN TH. IN.				TOLERANCES TO RULING No. 16															
<table border="1"> <thead> <tr> <th>CODE</th> <th>DIM 'X'</th> <th>DIM 'Y'</th> <th>DIM 'Z'</th> </tr> </thead> <tbody> <tr> <td>DL 65713</td> <td>26.5 ± 0.4</td> <td>22.0 ± 0.4</td> <td>1</td> </tr> <tr> <td>DL 65714</td> <td>19.5 ± 0.4</td> <td>15.5 ± 0.4</td> <td>0.8</td> </tr> </tbody> </table>				CODE	DIM 'X'	DIM 'Y'	DIM 'Z'	DL 65713	26.5 ± 0.4	22.0 ± 0.4	1	DL 65714	19.5 ± 0.4	15.5 ± 0.4	0.8	MASTER COPY SIGN: [Signature] DATE: 8/11/99			
CODE	DIM 'X'	DIM 'Y'	DIM 'Z'																
DL 65713	26.5 ± 0.4	22.0 ± 0.4	1																
DL 65714	19.5 ± 0.4	15.5 ± 0.4	0.8																


FILED COPY 0285
 APPROVED BY
 DATE 12/05/2026
 NOTION

085A
 28/01/14

CODE	MATL.	SPEC.	FIN.	SPEC.	SCREW (SELF TAPPING)	DTC 76539
DTC 76539A	AS PURCHASED					

TRANSMISSION EQUIPMENT	ISSUE	APP
	11-9-76	NO

100 GAUGE STEEL, ROUND HEAD N.P.K. HAMER DRIVE SCREW TYPE U
WITH BRIGHT ZINC PLATED SURFACE FINISH



PILOT HOLE SIZE (.30 DIA.)

⊗ SOURCE OF SUPPLY

GUEST, KEEN & WILLIAMS LIMITED,
202, MOUNT ROAD, (P.B. NO. 381)
MADRAS-2

ALL DIMENSIONS IN MM

TOLERANCES TO
RULING NO. 18

REF.	W.O.	J.O.	DRN.	APPROVED
	NO. 2 (17.11)		MM	



100 GAUGE STEEL

CODE	MATERIAL	SPEC	APP	FINISH	SPEC	TERMINAL	
BL15585-A	BRASS	B248		ELECTRO FINISHING	B506C		
BL15585-B	BRASS	B248		NIL			

STD	SUB	TROP	TROP	APP
✓	✓	✓	✓	✓
ISSUE 6.12-3-62				
B.C.O. 00013				
REDRAWN IN				
AMENDMENTS				
ISSUE 7.16-3-70				
B.C.O. 21631RN				
SUF. A, SPECIFIED				
155-8 24-11-72				
B.C.O. 16161				
SUF. B, ADDED				
MATERIAL BRASS, B248				
A. IN-NAIL SPECIFIED				
ISSUE 9.20-9-80				

REF.	P.O.	DRG	2/STN
70	FIG. 2		

DRAWN	ENG	R.D.G.	CHECKED	P.N. S.1

APPROVED	S.K.R.


ITL Ltd., Bangalore.	A

DOCUMENTATION
CENTER
CONTROLLED COPY 077E
SIG
DATE 12/05/2026

DOCUMENTATION
CENTER
CONTROLLED COPY 077E
SIG
DATE 12/05/2026

ALL DIMS ARE IN mm.
SCALE 4/1 * NOT EXACT EQUIVALENT TO mm DIMS.
TOLERANCES
TO RULING No. 16

CODE DL 65721-A	MATERIAL SYNTHETIC RUBBER (BLACK)	APP SPEC	FINISH NIL	SPEC JIS	SPEC	RING	DL 65721-
FIELD TELEPHONE						APP	
						ISSUE 1	27.7.74
						DOCUMENTATION REF. U.O. DUL/1806 DRAWN ENG. H. Hickory CHK'D APPROVED ITI LTD., BANGALORE	



PURCHASED ITEM.

NOTE:-

SAMPLE TO BE SUPPLIED BEFORE
PROCEEDING WITH BULK OF ORDER.
* SHORE HARDNESS TO BE 50° TO 55°
(SHORE DUROMETER)

DOCUMENTATION
CENTER
CONTROLLER COPY 086A
DATE 28/01/14

SCALE:- 5:1