



ITI LIMITED
(A Government of India Undertaking)

PR Ref: M4125J002

Sl. No	ITI Item code	Item Description	Make	MPN	Qty in Nos
1	DA2D1000516A4D1	AXIAL DIODE, TVS SUPPRESSOR, 16V, SIZE DO-204AC (DO-15) PKG.	VISHAY INTERTE.ASIA(PTE)LTD	P6KE16A-E3/54	110
2	DA2B2000476S1D1	SURFACE MOUNT GLASS PASSIVATED SILICON RECTIFIER, 1000V, CURRENT:- 1.0 AMPS. MELF PKG. TEMP:- -65 TO 175Deg.C	1.CTR MANUFACTURING INDUST.LTD 2.Micro Commercial Components 3.RECTRON LTD.	1. SM4007 2. SM4007PL-TP 3. SM4007-W	220
3	DA2B2000374D7A2	DIODE, FAST RECOVERY RECTIFIER 800 VOLTS,SOD57 PKG.	PIECO (PHILIPS INDIA)CHENNAI	BYV-36D	220
4	DA2B2000449E1D2	DIODE, ULTRAFAST, LOW LOSS CONTROLLED AVALANCHE RECTIFIER DO-214AC PAC.	1. LITE-ON (EUROPE) LTD. 2. ON SEMICONDUCTOR 3. Vishay Intertech Asia P Ltd(Formerly Philips Comp)	1. US1J 2. ES1G 3. BYG80G	330
5	DA2B3000290D5A2	DIODE, FAST RECOVERY,2X10A,200V,SURGE 100A,Vf 0.85V,at 5A,T(rr)35 nsec.Pkg. TO-220 AB(COMMON CATHODE)	1. PHILIPS COMPONENTS (NXP) 2. PHILIPS COMPONENTS (NXP) 3. PHILIPS COMPONENTS (NXP) 4. ST MICRO ELECTRONICS 5. ST MICRO ELECTRONICS	1. BYV32E-200 2. BYV 32-200 3. BYV 32-200(TO 220 AB) 4. BYW 51-200 5. BYW 51-200 A(TO 220AB)	110
6	DA2B3000312A1A2	DIODE, ULTRA FAST RECOVERY,3.5A, 150V,Trr=30 nsec.PKG SOD 64, GLASS PASSIVATED.	1. FAGOR ELECTRONICA,S.COOP. 2. MULLARD LTD. 3. MICROSEMI CORP. (VECTRON INTERNATIONAL.) 4. MICROSEMI CORP. (VECTRON INTERNATIONAL.) 5. PHILIPS COMPONENTS (NXP) 6. SOLID STATE ELECTRONIC CO.LTD 7. VISHAY SPRAGUE	1. EGP30D 2. BYV 28-150V 3. BYV 28-150V/UES 1303 4. UES 1303 5. BYV 28-150V 6. BYV28-150V 7. BYV 28-150V	220



ITI LIMITED
(A Government of India Undertaking)

7	DA2B2000461D9D1	SURFACE MOUNT ULTRA FAST POWER RECTIFIER, DO-214AA, SMB PKG.	ON SEMICONDUCTOR	MURS110T3	110
8	DA2B6000493D9D2	TRANSIENT VOLTAGE SUPPRESSOR SURFACE MOUNT, 600W DIODE, DO-214AA PACKAGE	1. RECTRON LTD. 2. WURTH ELEKTRONIK	1. SMBJ12A 2. 824520121	110
9	DA2G3120002S1D2	DIODE, ZENER,VOLTAGE REGULATOR,12V,5% TOL.,SOD80C PKG.,500mW,-65 TO 200 DEG.C	1. CONTINENTAL DEVICE INDIA LTD. 2. PHILIPS COMPONENTS (NXP)	1. BZV55-C12 2. BZV55-C12	440
10	DA2G3510001S1A2	DIODE, ZENER 5.1V,VOLTAGE REGULATOR, SOD 80C PACKAGE, 500mW, 5%.	NEXPERIA (NXP SEMICONDUCTORS) NETHERLANDS	BZV55-C5V1	220
11	DA2G3330001S1D2	DIODE, ZENER 3.3.V, 0.5W,5%,SOD80C PKG.TEMP:- -65 TO 200 Deg.C	NEXPERIA (NXP SEMICONDUCTORS) NETHERLANDS	BZV55C3V3	110
12	SA2G3470001G7D1	TLZ SERIES ZENER DIODE 4.7V, Mini MELF SOD-80	1. VISHAY INTERT.ASIA(PTE)LTD 2. VISHAY INTERT.ASIA(PTE)LTD	1. TLZ4V7B-GS18 2. TLZ4V7B	110
13	DA2E1000222C1A2	DIODE, LED(Green) 3mm DIFFUSED,1V 1mcd(10mA)	1. AGILENT TECHNOLOGIES 2. KWALITY ELECTRONIC INDUSTRIES	1. HLMP 1503 2. KL33GD	440
14	DA2E1000221C1A2	DIODE, LED(RED) 3mm DIFFUSED,1v 2mcd(10mA)	1. AGILENT TECHNOLOGIES 2. KWALITY ELECTRONIC INDUSTRIES	1. HLMP 1301 2. KL33RD	220
15	SA2B9000518E1D1	DIODE SMD SCHOTTKY BARRIER RECTIFIER SMA PKG. 2A, 10V	ON SEMICONDUCTOR	MBRA210LT3G	120
16	SA2E1000535S1D1	LED, SMD, SIZE 1206, RED 624 nm, -40 TO 85 DEG. C	-	15-21 SURC/S530-A3/TR8	120
17	SA2E1000512S1D1	LED, SMD, 1 mm X 0.5 mm, GREEN, SIZE 0402	KINGBRIGHT CORPORATION	APHHS1005CGCK	3000
18	SA2D3000514S1D1	DIODE, SMD, ESD SUPPRESSOR 30V, 0402 SIZE	COOPER BUSSMAN (EATON)	0402ESDA-MLP1	2200



ITI LIMITED
(A Government of India Undertaking)

19	SA2B9000513E1D1	DIODE, SMD, 1A, 30V, SCHOTTKY BARRIER RECTIFIER, SMA PKG.	ON SEMICONDUCTOR	MBRA130LT3G	120
20	SA2H1000515F9D2	ZENER DIODE, SMD, 5.1V, 150mW, ±5%, 0603, SOD-523F, ROHS	COMCHIP TECHNOLOGY	CZRU52C5V1	110

1. Warranty certificate is mandatory
2. Sample has to be approved by the user before bulk supply
3. COC, test reports and all necessary documents shall be submitted along with supply for inspection clearance.
4. Lead time of the items should be clearly mentioned
5. Quote only for the mentioned make and part number.
- 6. Technical details of each items (ITI item code, Make, Part number, lead time etc.) should be uploaded be in your company letter head with sign and seal for technical evaluation. Without these documents, the submitted bid will be rejected and we will not consider for evaluation.**